EAST Search History

	Hits	Search Query		Default Operator		
	0	igs "1191722"	US-PGPUB, USPAT; USOOR	ADJ	ON	2008/04/18 06:4
	25195	receiver and broadcast\$3 and (satelite or national) and (local or terrestrial)	US-PGPUB, USPAT; USOCR; EPO, UPO; DEFINIENT; IBM_TDB	ADJ	ON	2007/04/25 15:1
	2223	(S1 and (antenna with (satellite or national)) and (antenna with (local or terrestrial))	(US-PGPUB; USPAT; USOCR; EPO; JPO; DEFWENT; IBM_TDB	ADJ	ON	2007/04/25 15:2
	1692	S2 and control (S3	US-PGPUB; USPAT; USOCR; EPO; UPO; DEFWENT; IBM_TDB	ADJ	ON	2007/04/25 15:2
,	1581	(53 and (select\$3)	US-PGPUB; USPAT; USOOR; EPO; JPO; DEFWENT; IBM_TDB	ADJ	ON	2007/04/25 15:2
	107	:S4 and (interruptS4 near3 signal)	US-PGPUB: USPAT; USOCR; EPO, JPO; DEPWENT; IBM TDB	ADJ	ON	2007/04/25 15:2
	93	155 and radio	US PGPUB: USPAT: USOOR: EPO. UPO: DEPWENT: IBM TDB	ADJ	ON	2007/04/25 15:4
	77	(Isatellite or national) near2 (tuner or demodulator)) same ((local or terrestrial) near2 (tuner or demodulator))	US-PGPUB: USPAT: USOOR: EPO, UPO; DEPWENT; IBM TDB	<u>'</u>	ON	2007/04/26 07:2
			US PCPUR USPAT; USOOR EPO, JPC; DERWENT; IBM TDB	,	ON	2007/04/26 07:2
	4	58 and ((satelite or national) near2 (tuner or demodulator)) same ((local or terrestrial) near2 (tuner or demodulator)) and (satelite with radio)	US-PCPUR, USPAT; USCOR, EPO, UPO; DERWENT; IBM TDB	<u>.</u>	ON	2007/04/26 07:2
		370/316,330,478,132,328,329,335,338,340-342 cds.	US PGPUB; USPAT; USOOR; EPO, UPO; DERWENT; IBM TDB		KON	2007/04/26 07:2
	0	(SIO and ((satellife or national) near 2 (tuner or demodulator)) same ((local or terestrial) near 2 (tuner or demodulator)) and (satellife with radio)	US POPUR: USPAT; USCOR; EPO, UPO; DERWENT; IBM TDB		XON	2007/04/26 07:2
			US-PGPUB: USPAT; USOCR: EPO, UPO; DERWENT; IBM TDB	·	ON	2007/04/26 07:2
	48	(S12 and (satelific with radio)	(US-PGPUB: USPAT; USOOR; EPO; UPO; DERWENT; IBM TDB	.	NN.	2007/04/26 09:
	148 10		US-PGPUB USPAT; USOCR EPO, JPO; DERWENT; IBM_TUB	T	ON	2007/04/26 09:
	١	[[interrupt 53 near2 signal] and ((determined or predetermined) with (period of time))		(1
- 1	0	[Interrupt\$3 near2 signal] and ((determined or predetermined) same (period of time))	US-PGPUB; USPAT; USOOR; EPO, JPO; DEPWENT; IBM_TDB	·	ON	2007/04/26 09:
	0	((determined or predetermined) same (period of time))	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	·	ON	2007/04/28 09:2
		((determined or predetermined) same (ime)	US-PGPUB; USPAT; USOOR; EPO; JPO; DEFIVIENT; IBM_TDB	•	ON	2007/04/26 09:
	,	((determined or predetermined) with time)	(US-PGPUB; USPAT; USOOR; EPO; UPO; DERWENT; IBM_TDB	<u> </u>	ON	2007/04/26 09:
	23231	interrupt\$3 near2 signal) and ((determined or predetermined) with time)	US-PGPUB; USPAT; USOCR; EPO; UPO; DEPWENT; IBM_TDB	(ADJ	ON	2007/04/26 09:
0	65	(S19 and (satelite radio)	US-PGPUB; USPAT; USOCR; EPO; UPO; DEPWENT; IBM_TDB	ADJ	ON	2007/04/26 09:
1	2618	(interrupt§3 near2 signal) with ((determined or predetermined) with time)	US-PGPUB; USPAT; USOCR; EPO; UPO; DEPWENT; IBM_TDB	ADJ	ON	2007/04/26 09:
22	2053	(interrupt\$3 near2 signal) with ((determined or predetermined) near4 time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DEPWENT; IBM_TDB	ADJ	ON	2007/04/26 09:
23	1992	interrupt§3 near2 signal) with ((determined or predetermined) near3 time)	(US-PGPUB; USPAT; USOCR; EPO; UPO; DEPWENT; IBM_TDB	ADJ	ON	2007/10/17 13:
4	0	\$23 and satelite radio	US-PGPUB; USPAT; USOCR; EPO; JPO; DEPWENT; IBM_TDB	ADJ	ON	2007/04/26 09:
5	120	523 and broadcast(S	US-POPUE: USPAT; USOCR: EPO, JPO; DEPWENT; IBM TDB	ADJ	ON	2007/04/26 09:
0	0	"5797087", an. and (digital or analog)	US-PGPUB: USPAT; USOCR: EPO, UPO; DEPWENT; IBM TDB	ADJ	ON	2007/04/27 07:
1	13122		US POPUB USPAT: USOOR EPO UPO DEPWENT IBM TOB	·	XON	2007/04/27 07:
	214	S31 and ((satellite or SDARS) near2 radio)	US-PGPUB, USPAT; USOCR; EPO, UPO; DERWENT; IBM TDB	<u>`</u>	ON	2007/04/27 07:2
	0	532 and ((AM or Pill) near2 (tuner or demodulator)) and ((satelite or SDARS) near2 (tuner or demodulator))	(US PGPUB; USPAT; USOOR; EPO, UPO; DERWENT; IBM TDB	·	NOX.	2007/04/27 07:2
	3	Social distribution and Social	US-PGPUB; USPAT; USOOR; EPO, UPO; DERWENT; IBM TDB	<u></u>	ON	2007/04/27 07:2
	١	502 87 (III of Up Teal 2 9) ta) 	(US-PGPUB; USPAT; USOOR; EPO; UPO; DERWENT; IBM TDB	·	ON	2007/04/27 07:2
	15		US-PGPUB: USPAT; USOCR: EPO; UPO; DERWENT; IBM_TUB		ON	2007/04/27 07:2
		(Stand ((satelline or SDARS) near2 radio)		·	ON	2007/04/27 07:
	38	710/38.ods. and @pd>="20061031"	US PCPUB; USPAT; USOCR; EPO, JPO; DEFIMENT; IBM_TDB	*	17.1	4
38	0	537 and ((satellite or SDARS) near2 radio)	us-Popur, Uspat; Usoor, EPO, JPO, DERWENT; IBM_TDB	·	ON	2007/04/27 07:
0	1	[0.62882	US PGPUB; USPAT; USOOR; EPO, JPO; DEPWENT; IBM_TDB	`	ON	2007/10/17 13:
	0	(S40 and (search\$3 with another with prefer\$3 with local with station)	US-PGPUB; USPAT; USOOR; EPO; UPO; DEFWENT; IBM_TDB	·	ON	2007/10/17 13:
2		(S40 and (search(S) with another with prefer (S) with station)	(US-PGPUB; USPAT; USOOR; EPO; JPO; DEFWENT; IBM_TDB		ON	2007/10/17 13:
	0	540 and (search\$3 with prefer\$3 with station)	US-PGPUB; USPAT; USOCR; EPO; UPO; DEFIMENT; IBM_TDB	ADJ	ON	2007/10/17 13:
4	2	(S40 and (search(S3 with station)	(US-PGPUB; USPAT; USOCR; EPO; JPO; DEPWENT; IBM_TDB	ADJ	ON	2007/10/17 14:0
	0	det ermin\$3 with if with chosen with station with available with "not" with search\$3	US PGPUB, USPAT; USOCR; EPO; JPO; DEPWENT; IBM_TDB	ADJ	;ON	2007/10/17 14:0
6	0	;det ermin\$3 with "fi" with local with available with "not" with search\$3	US PGPUB, USPAT; USOCR; EPO; JPO; DEPWENT; IBM_TDB	ADJ .	ON	2007/10/17 14:0
7	0	idetermin(S) with local with available with "not" with search(S)	US-PGPUB; USPAT; USOCR; EPO; JPO; DEPWENT; IBM_TDB	ADJ .	(ON	2007/10/17 14:1
18	0	;determin\$3 with available with "not" with search\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DEPWENT; IBM TDB	ADJ	NOX	2007/10/17 14:0
9	3311	2determinS3 with available with searchS3	US POPUE: USPAT: USOOR: EPO, JPC; DEPWENT: IBM TDB	ADJ	ON	2007/10/17 14:1
50	0	determinS3 with if with chosen with station with available with search\$3	US PCPUB: USPAT: USOCR: EPO, UPO; DEPWENT; IBM TDB	ADI	ON	2007/10/17 14:0
	۸.		US-PGPUB: USPAT; USOOR; EPO, UPO; DERWENT; IBM TDB	.	ON	2007/10/17 14:1
	0	determinSS with 1ft with local with available with searchSS	US-PGPUB: USPAT; USOOR; EPO: JPO; DERWENT; IBM TDB	(ON	2007/10/17 14:1
	32	S51 and radio	US POPUR: USPAT; USOOR; EPO; UPO; DERWENT; IBM TDB		ON	2007/10/17 14:1
	0	200 2004587 UPPN	USPAT	ADJ	ON	2007/10/17 14:
5		1 2011004991 J. UPTN. 16741834 pn.	USPAT	ADJ	ON	2007/10/17 14:
		, .		ADJ		
	13	["600916" "6018649" "6160545" "6269329" "6347216" "6510317"), PNL OR ("5741834"), URPNL	(US-PGPUB; USPAT; USOCR		ON	2007/10/17 14:
7		"5797087" pn.	US-PGPUB; USPAT; USOOR	ADJ	ON	2007/10/17 14:
8	٠	["3593148" "3755753" "3949903" "4403344" "4635121" "5101508" "5907513"),PNL OR ("5797057"),UFPNL	(US-PGPUR, USPAT; USOOR	ADJ	ON	2007/10/17 14:
	2	. 200401 96389*	US-PGPUB; USPAT; USOOR; EPO; UPO; DEPIWENT; IBM_TDB		ON	2008/04/14 15:
		["2004/0198989"], URPV.	USPAT	ADJ	ON	2008/04/14 15:0
10	0	Warrant harry	HSPAT	ADJ	ON	2008/04/14 15:1

	d chosen with local with station	USPAT	ADJ .	ON	2008/04/14 15
	d ((chosen or select\$3) with local with station)	USPAT	ADJ	ON	2008/04/14 15
	d (determin\$3 with availab\$5 with local with station)	(USPAT	ADJ	ON	2008/04/14 15
	d (satellite radio)	USPAT	ADJ	ON	2008/04/14 15
	d AM and FM	USPAT	ADJ	ON	2008/04/14 1
53 987 an	d ((chosen or select\$3) with station)	USPAT	(ADJ	;ON	2008/04/14 1
6 (US-20	010004587-\$).dad. or (US-6980769-\$ or US-6347216-\$ or US-5307513-\$ or US-7065333-\$ or US-3949303-\$).dad.	US-PGPUB, USPAT	ADJ	ON	2008/04/14 1
324 (prefer	\$3 or seeld:\$3 or chosen or desir\$2) with ((local or terrestrial) near2 (information or station or channel))	(US-PGPUB, USPAT; USOCR, EPO, JPO; DEPWENT; IBM_	DB ADJ	ON	2008/04/15
(80 S70 an	d satellite	(US-PGPUB; USPAT; USOCR; EPO; JPO; DEPWENT; IBM_	DB ADJ	ON	2008/04/15
64 S71 an	d (@pd<="20030728" OR @ad<="20030728" OR @rlad<="20030728" OR @prad<="20030728")	US-PGPUB, USPAT; USOCR, EPO, JPO, DEPWENT; IBM_	DB JADJ	ON	2008/04/15 0
0 Jocal wi	ith radio with emergency with information with interrupt with broadcast§3	US-PGPUB, USPAT; USOCR, EPO, UPO; DEPWENT; IBM	DB ADJ	ion	2008/04/15
0 local wi	ith radio with emergency with interrupt with broadcast\$3	(US-PGPUB, USPAT; USCOR, EPO, JPC; DEPWENT; IBM	DB JADJ	ON	2008/04/15
	th emergency with interrupt, with broadcast\$3	US-POPUB USPAT, USOOR EPO, UPO, DERWENT, IBM		ON	2008/04/15
	th radio with emergency with information with interrupt with broadcast\$3	US-PGPUR, USPAT; USOCR, EPO, JPO; DEPWIENT; IBM		ON	2008/04/15
	th radio with emergency with information with interrupt\$3 with broadcast\$3	US-PGPUB, USPAT; USCOR, EPO, JPC; DEPIMENT; IBM_		iON	2008/04/15
	le radio) and (local with (emergency or traffic or news) with interrupt\$3 with broadcast\$3)	US POPUR USPAT: USCOR EPO JPO DEPWENT: IBM		iON	2008/04/15
		US POPUR, USPAT; USCOR, EPO, JPC, DEPMENT; IBM		ON	2008/04/15
	te radio) and (local with (emergency or traffic or news) with interrupt\$3)	US-POPUR, USPAT, USCOR, EPO, UPC, DERWENT, IBM.		NON	
	cast\$3 with radio) and (local with (emergency or traffic or news) with interrupt\$3)				2008/04/15 (
***************************************	696" "5774796" "5905969" "5903596" "5913155"),PN, CR ("6163683"),UPPN,	US PGPUB, USPAT; USOCR	ADJ	ON	2008/04/15
	63 with list with (local near3 (station or channel))) same (determin\$3 with availab\$5 with fail\$3 with retry)	US PGPUB, USPAT; USOCR	ADJ	ON	2008/04/15
	63 with list with (local near3 (station or channel))) same (determin\$3 with availab\$5 with retry)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/04/15
	3 with (local near3 (station or channel))) same (determin\$3 with availab\$5 with retry)	(US-PGPUB; USPAT; USCOR	ADJ .	ON	2008/04/15
	33 with local) same (determin\$3 with availab\$5 with retry)	US-PGPUR, USPAT; USCOR	ÄШ	ON	2008/04/15
621 (select	53 with local) same (determin\$3 with availab\$5)	US-PGPUB, USPAT; USOCR	;ADJ	ON	2008/04/15
204 S86 an	d broadcast	(US-PGPUB, USPAT; USOGR	ADJ	ON	2008/04/15
216 S86 an	d broadcast\$3	US-PGPUB, USPAT; USOCR	;ADJ	ON	2008/04/15
173 S88 an	d (@pd<="20030728" OR @ad<="20030728" OR @rlad<="20030728" OR @prad<="20030728")	US-PGPUB, USPAT; USOCR; EPO; UPO; DEPWENT; IBM	DB ADJ	ON	2008/04/15
52 S89 an	d internot\$4	US-POPUB, USPAT; USOOR, EPO, UPO; DEP(WENT; IBM.)	DB ADJ	XON	2008/04/15
121 S89 no		US-POPUB USPAT, USOCR EPO, UPO, DERWENT, IBM		ON	2008/04/15
	d (determinS3 near4 arailakS5)	US PCPUB, USPAT; USOCR, EPO, JPO; DEPWIENT; IBM		XON	2008/04/15
	el near 2 scanS4) with fail S2 with retry	US-PGPUB, USPAT; USOCR EPO, JPO; DEPWENT; IBM	***************************************	ON	2008/04/15
	with search\$3 with unavailable	US POPUR, USPAT; USCOR, EPO, JPO; DEPIVENT; IBM		NOX	2008/04/17
	with channel with tunS3 with unavailable	US-PGPUR, USPAT; USCOR, EPO, JPO, DEPWENT; IBM		:ON	2008/04/17
		US POPUB. USPAT: USCOR, EPO, JPO, DEPMIENT, IBM		NON	2008/04/17
	with channel with tun\$3		***************************************		
	with channel with tun\$3 with fail\$3	US-PGPUB; USPAT; USCOR; EPO; JPO; DEPWENT; IBM_		ON	2008/04/17
	with channel with turs(S) and radio	US-PGPUB, USPAT; USOCR, EPO; JPO; DEFINIENT; IBM_		ON	2008/04/17
	d (tun\$3 with fal\$3)	US-PGPUB, USPAT; USCOR, EPO, JPO; DEPWENT; IBM_		ON	2008/04/17
	d (scan\$4 with preset with determin\$3)	(US-PGPUB, USPAT; USOCR, EPO; JPO; DEFWENT; IBM_	/	NO	2008/04/17
3 S98 an	d (determin\$3 with preset with available)	US-PGPUB, USPAT; USOCR, EPO; JPO; DEPIMENT; IBM_	DB ADJ	ON	2008/04/17
	near 2 channel) with determin \$3 with available	(US-PGPUB, USPAT; USOCR, EPC, JPC; DEP(WENT; IBM_	DB (ADJ	ON	2008/04/17
2 "61819	21".pn.	(US-PGPUB, USPAT; USOCR, EPO, JPO; DEPWENT; IBM_	DB ADJ	ON	2008/04/17
2 167984	63'.pn.	US-PGPUB, USPAT; USOCR; EPO; JPO; DEPWENT; IBM_	DB ADJ	ON	2008/04/17
2 "69382	71".pn.	US-PGPUB, USPAT; USOCR, EPO; JPO; DERWENT; IBM_	DB }ADJ	ON	2008/04/17
0 69438	456938271" pn.	US-PGPUB, USPAT, USOCR, EPO, JPO, DERWENT, IBM_	DB ADJ	ON	2008/04/17
2 169438		US PGPUB, USPAT, USOCR, EPO, JPO, DEPWENT, IBM	DB JADJ	ON	2008/04/17
	with channel with receivable) and radio	US-PGPUB, USPAT; USCOR, EPO, UPO, DEPRWENT; IBM		ion	2008/04/17
	with channel with receivable	US POPUR USPAT; USCOR EPO, JPO, DEPWENT; IBM		ON	2008/04/17
	rear2 channel) with determin\$3 with receivab\$5	US-PGPUR: USPAT; USCOR: EPO, JPO; DEPWENT; IBM		iON	2008/04/17
	rear2 local near2 channel) with determin\$3 with receivab\$5	US-PGPUR: USPAT; USCOR, EPO, JPO, DEPWIENT; IBM		ON	2008/04/17
		US-PGPUR: USPAT; USCOR; EPC; UPC; DERWENT; IBM		ON	2008/04/17
	near2 local) with determin\$3 with receivab\$5				
	ed\$3 near2 local) with determin\$3 with receivab\$5	US PGPUB; USPAT; USOCR; EPO; JPO; DEFWENT; IBM_		ON	2008/04/17
· · · · · · · · · · · · · · · · · · ·	\$3 near2 channel) with determin\$3 with receivab\$5	US-PGPUB, USPAT; USOCR; EPO; JPO; DEFWENT; IBM_		ON	2008/04/17
	3 near 2 channel) with determin(3 with receivab)(5	US-PGPUB, USPAT; USOCR; EPO; JPO; DERWENT; IBM_		ON	2008/04/17
	n near2 channel) with determin\$3 with receivab\$5	US-PGPUB; USPAT; USCOR; EPO; UPO; DERWENT; IBM_		ON	2008/04/17
	n near2 channel) with receivab\$5	US-PGPUR, USPAT; USOCR, EPO, JPO; DERWENT; IBM_	'DB (ADJ	;ON	2008/04/17
(0 (desir\$	3 near2 channel) with receivab\$5	US PGPUB; USPAT; USOCR; EPO; JPO; DERMENT; IBM_	DB ADJ	ON	2008/04/17
0 (prefer	S3 near 2 channel) with receivabSS	US-PGPUB; USPAT; USOCR; EPO; JPO; DEPRVENT; IBM_	DB ADJ	ON	2008/04/17
2 (prefer	S4 near 2 channel) with receiva bQS	US-PGPUB, USPAT; USCOR, EPC; UPC; DERWENT; IBM_	DB ADJ	ON	2008/04/17
	54 near 2 station) with receivab \$5	US-PGPUR, USPAT, USCOR, EPO, JPO, DEPWENT, IBM_	DB ADJ	ON	2008/04/17
	ast\$3 and (receivath%5 with (select\$2 or prefer\$4 or preset\$4 or chosen or desir\$4) with (access\$3 or detect\$3 or determin\$3 or check\$3))	US-POPUB USPAT; USOCR EPO, UPO; DEPWIENT; IBM		ion	2008/04/17
	ast\$3 and (receivab\$5 with (select\$2 or prefer\$4 or preset\$4 or chosen or desir\$4) with (access\$3 or detect\$3 or detect\$3 or detect\$3 or detect\$3)	US-PGPUB; USPAT; USCOR, EPO, JPC; DEFIVENT; IBM_		ON	2008/04/17

\$124	88	;5123 and (@pdx="20090728" OR @adx="20090728" OR @rladx="20090728" OR @pradx="20090728")	(US-PGPUB, USPAT; USOOR, EPO, UPO; DERWENT; IBM_TDB	ADJ (O	N (2008/04/17 12:54
\$125	(0	\$124 and ('not" near2 receivab\$5)	US-PGPUB, USPAT; USOCR, EPO, UPO; DEPIVENT; IBM_TDB	ADJ KO	N 2008/04/17 14:02
\$126	10	[S124 and (unreceivabS5)	US PGPUB, USPAT; USOCR; EPO; UPO; DEPIWENT; IBM_TDB	ADJ (O	N 2008/04/17 14:02
S127	0	S124 and (un adj 1 receivab\$5)	US-PGPUB; USPAT; USOCR; EPO; UPO; DEPIWENT; IBM_TDB	ADJ (O	N 2008/04/17 14:02
S128	þ	[tun\$3 with (("not" or no or un) adj i receivab\$5)	US-PGPUB, USPAT; USOCR, EPO; UPO; DEPIWENT; IBM_TDB	ADU (O	N (2008/04/17 14:05
S129	4268	tun\$3 with fail\$3	US-PGPUB, USPAT; USOCR; EPO; UPO; DEPIWENT; IBM_TDB	ADU (O	N 2008/04/17 14:07
S130	109	[S129 and radio near2 broadcast[S3	US-PGPUB, USPAT; USOCR, EPO, UPO, DEPIWENT; IBM_TDB	ADJ jo	N \$2008/04/17 14:07
S131	109	:5129 and (radio near 2 broadcast\$3)	US-PGPUB, USPAT; USOCR; EPO; UPO; DEPIWENT; IBM_TDB	ADU (O	N 2008/04/17 14:08
\$132	95	;5131 and (@pok="20030728" OR @ad<="20000728" OR @flad<="20030728" OR @prad<="20030728")	(US-PGPUB, USPAT; USOCR; EPO; JPO; DEFIWENT; IBM_TDB	ADJ jo	N (2008/04/17 14:08
S133	8	["5220882" "5475874" "5701599" "5732338" "5749048" "5835854").PN. OR ("6006076").URPN	US-PGPUB; USPAT; USOCR	ADJ (O	N 2008/04/17 14:45
\$134	29	["5214792" "5393713" "549887" "5448765" "5732338" "5819166" "584753" "6006076" "6088730").PN OR ("6282412").URPN	(US-PGPUB; USPAT; USOOR	ADJ (O	N (2008/04/17 14:46
\$135	8	[("5220882" "5475874" "5701599" "5732338" "5749048" "5835854").PN OR ("6006076").URPN	US-PGPUB, USPAT; USOOR	ADU KO	N 2008/04/17 15:17

^{4/ 18/ 2008 7:37:50} AM C) Documents and Settings\ slee7\ My Documents\ EAST\ Workspaces\ 10628822-Amendment.wsp